

#### Contact us information

Central Coast T 02 4324 5677 F 02 4324 5408

Mid North Coast T 02 6551 0722 F 02 6551 0822

#### Consulting

ENT Gosford 29 Hills St, Gosford NSW 2250

**Coast Sleep** 18-20 Wiowera Road, Kanwal, NSW 2259

Mayo Specialist Centre Mayo Private Hospital 2 Potoroo Drive, Taree NSW 2430

#### Operating

**Gosford Private Hospital** Burrabil Ave, Gosford North NSW 2250

**Tuggerah Lakes Private Hospital** 645 Pacific Highway Kanwal NSW 2259

# POST OPERATIVE INSTRUCTIONS Paediatric Tonsillectomy

#### **Pain Relief**

Pain is expected to last up to 10-14 days following surgery. The pain may get worse at about day 5 to 7 postoperatively. Therefore maintaining

- · Regular Panadol every 6 hours is recommended for 10-14 days. If the pain is not managed with Panadol, Dr Gunawardena will prescribe a stronger medication to help control the pain as breakthrough pain relief.
- · Oxycodone (Endone) will be prescribed for some breakthrough pain relief up to every 4 hours if required.
- · Celecoxib (anti flammatory) given morning and night for 7 days.
- · Difflam spray or gargle 3 or 4 times a day (purchase over counter at chemist).
- Please <u>do not give your child any non steroidal medication such as Nurofen or Ibuprofen</u> without consulting Dr Gunawardena.

Ear pain and jaw pain may also occur.

#### **Antihintics**

Antibiotics will be prescribed. Please take this as instructed.

#### Diet

During this time, it is recommended that you encourage your child to stay hydrated with regular sips of water/ ice blocks/jelly or ice cream. If you child is tolerating swallowing their normal meals, there are no restrictions. Spicy foods, acidic fruits and drinks may cause some discomfort, so best avoided if struggling, try again 30-45 minutes after pain relief.

## **Fever**

It is common to have a mild fever in the first 24 to 48 hours after the operation.

## **Bad breath**

This is expected following removal of tonsils or adenoids. The bad breath usually settles after 3 weeks.

## **Bleeding**

If there is any sign of bleeding (spitting or coughing up fresh blood), please present to the nearest Emergency department for assessment.

#### Follow up

A nurse from Dr. Gunawardena's rooms will contact you in the week following your operation to discuss any concerns you may have with your child.